



**be different.  
make a difference.  
asa-Agricultural References**

# Agricultural References

## Landscape Technology

ASA TT 11 rail 12V DC

- wavy "easy clean" air fin
- asa rail system with flexible connector and mounting system
- up to 15kW cooling performance



# Agricultural References

## Farm Technology / cranes

Oil/air cooler OKO 25

- compact cooler 12V DC cooler
- temperature controlled fan
- IP69k connection to temperature sensor



# Agricultural References

## Forestry and Harvesters

Rubber compensator / expansion joint

- with SAE 4-bolt flange
- NG 90 connection / 80 size bellow
- NBR/CR rubber configuration





# Agricultural References

## Forestry Machines / winches

Low Line 04 DC

- wavy "easy clean" air fin
- 2,8kW cooling performance
- Standard G 3/4" threads



# Agricultural References

## Wood processor

Low Line 06 12V DC

- wavy "easy clean" air fin
- standard G 3/4" threads
- internal 2 bar bypass
- optional 230/400V AC fan



# Agricultural References

## Forestry Machines / Forestry Cranes

Oil/air cooler double fan DC cooler 0367

- 2 x high performance fan Ø300mm
- internal 2 bar bypass for cold start
- incl. asa universal connector system





# Agricultural References

## Double-blade mowers

Low Line 04 DC

- wavy "easy clean" air fin
- 2,8kW cooling performance
- Standard G 3/4" threads





# Agricultural References

## Forestry cranes

ASA 0176/TT16 rail 24V DC H-Protect

- robust protection housing
- high flow performance / low pressure drop
- optimized fan drive
- very long life DC motor



## Harvesters

2x Oil/air cooler ASA 0567 AUC

- with 11cm<sup>3</sup> hydraulic fan drive
- asa universal connector system
- up to 100kW cooling performance



# Agricultural References

## Fertilizers and Sprayers

Oil/air cooler ASA 0256 12V DC

- high performance 12V DC fan unit
- durable IP 68 motor
- flexible asa universal connector system





# Agricultural References

## Strip-till drill

Low Line 06 radiator

- wavy "easy clean" air fin
- internal 2 bar bypass
- standard G 3/4" threads
- using machine propelled seed fan blower



# Agricultural References

## Fertilizers and Sprayers

Oil/air cooler Low Line 06 DC

- IP 68, 12V DC fan unit
- internal 2 bar bypass
- easy clean - wavy air fin



# Agricultural References

## Wood cutter / stump grinder

Oil/air cooler ECO 07 S

- IP 68, 12V DC fan unit
- internal 2 bar bypass
- easy clean - wavy air fin





# Agricultural References

## Wood and green waste shredder

Oil/air cooler ASA 0927 AUC

- with 34cm<sup>3</sup> hydraulic fan drive
- asa universal connector system
- inclusive 2 bar bypass
- up to 100kW cooling performance



# Get in contact!

[www.asahydraulik.com](http://www.asahydraulik.com)  
[support@asahydraulik.com](mailto:support@asahydraulik.com)  
+43 1 292 40 20



## AUSTRIA

asa hydraulik GmbH  
R&D center  
Prager Strasse 280  
A-1210, Vienna

## USA

asa hydraulik of America  
160 Meister Avenue 20 A  
Branchburg, New Jersey 08876

## INDIA

asa hydraulik India Pvt Ltd  
C1/102/9, GIDC, Palej, Dt. Bharuch  
Gujarat - 392220

## AUSTRIA

asa technology Produktions- und  
Vertriebs GmbH  
Prager Strasse 280  
A-1210, Vienna

## CHINA

asa Technology (Suzhou) Co., Ltd.  
Jiangsu Suzhou Industrial Park  
Fangzhou Road No 128,  
area 6, building B

## AUSTRALIA

asa Products Pty Ltd  
Quinlan Road 23  
3076 Epping, Victoria

